

GOLDEN STATE WARRIORS EVENT CENTER & MIXED-USE DEVELOPMENT NOVEMBER 3, 2015
AT MISSION BAY BLOCKS 29-32 - BASIC CONCEPT + SCHEMATIC DESIGN SUBMITTAL - OFFICE OF COMMUNITY INVESTMENT AND INFRASTRUCTURE

SOUTH STREET OFFICE / RETAIL







00 CONTENTS 00.1 Contents

01 PROJECT OVERVIEW

- 01.1 Project Introduction
- 01.2 Design Narrative
- 01.3 Design Features
- 01.4 Building Systems
- 01.5 Design Flexibility for Lab / R&D Uses

02 PROJECT DATA

- 02.1 Project Data Summary
- 02.2 Gross Floor Area Summary (Design For Development)
- 02.3 Gross Floor Area Summary (SF Planning Section 321)
- 02.4 Gross Floor Area Exclusion Diagrams (Design For Development)
- 02.5 Gross Floor Area Exclusion Diagrams (SF Planning Section 321)
- 02.6 Height, Bulk, and Setback Diagram (HZ5)

03 BUILDING DRAWINGS

- 03.1 Site Plan
- 03.2 Site Plan Building Entry Points
- 03.3 Site Section
- 03.4 East West Section
- 03.5 North South Section
- 03.6 South Elevation
- 03.7 North Elevation
- 03.8 East Elevation
- 03.9 West Elevation
- 03.10 Grade Level Plan
- 03.11 Plaza Level Plan
- 03.12 Level 3 Plan
- 03.13 Typical Podium Plan (Levels 4-6)
- 03.14 Typical Tower Plan (Levels 7-11)
- 03.15 Level 11 Plan
- 03.16 Typical Roof Plan

04 MATERIALS

- 04.1 Material Axonometric Sections
- 04.2 Material Approach
- 04.3 Material Approach
- 04.4 Material Approach
- 04.5 Material Approach
- 04.6 Material Approach

05 LOOK & FEEL

- 05.1 Aerial View
- 05.2 View from South Street
- 05.3 View from South Street
- 05.4 Office Entry from South Street
- 05.5 View from 3rd at South Street
- 05.6 View from 3rd at South Street
- 05.7 North Tower 3rd Street Approach
- 05.8 Plaza Entry from 3rd Street

CLIENT

Golden State Warriors

PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE

November 3, 2015

STREET OFFICE / RETAIL MISSION BAY BLOCKS 29-32

PROJECTINTRODUCTION

INTRODUCTION

The Golden State Warriors are submitting this Basic Concept and Schematic Design application for a mixed-use office & retail building on the corner of 3rd and South Street as part of the larger development of Blocks 29-32. At approximately 11 acres, Blocks 29-32 collectively represent one of the largest remaining development sites in San Francisco, and the future location of the Golden State Warriors' new, state-of-the-art multi-purpose event center. The approximately 18,000-seat event center will be the home of the Golden State Warriors' basketball team, and will host a variety of other activities including concerts, family shows, other sporting events, cultural and theatrical shows, conferences, and civic events. The site also includes structured parking, open public plazas, and other amenities that will activate the site during non-event times.

This office and retail tower at the corner of 3rd Street and South Street is one of two on the site, and is composed of a 90' podium, with a 160' tower above. The building will contain 293,282 Gross SF (276,730 Leasable SF) commercial space and 19,716 Gross SF (19,716 Leasable SF) retail space for a total of 312,988 Gross SF (296,446 Leasable SF). Retail on-site will serve the local office community, on-site and off, as well as UCSF hospital staff, UCSF students and researchers, nearby residents, and visitors from the region. This project is also equipped to provide potential lab/R&D space and the opportunity for synergy and collaboration with other firms and institutions local to Mission Bay.

RELATED SUBMITTALS

This Basic Concept and Schematic Design package is one of six (6) in total. Other packages have been prepared for:

- 1. the Event Center;
- 2. the 16th Street Office/Retail tower;
- Northeast retail along South Street and Terry Francois Boulevard, including a Food Hall:
- Open Space, Gatehouse, and Parking and Loading facilities on-site, which will include landscaping information for the full Blocks 29-32 development (not further elaborated upon in other Basic Concept/ Schematic Design packages); and
- A common book of Background Appendices for all of these submittals, which will include utility information, wind and shadow studies for the full development, vicinity plans, and site diagrams for additional reference.

SITE ACCESS AND LOCAL TRANSPORTATION

Local transit and access-ways in the vicinity include the Muni T line (future Central Subway connection to East Bay and South Bay via BART at the Powell Street station), Caltrain stations at King Street and 22nd Street, the planned cycle track on Terry Francois Boulevard, and the Bay Trail extension through the Bayfront Park (P22). Forthcoming additional improvements include the Muni Forward project along 16th Street, which will include Bus Rapid Transit (BRT) lines, improvement to local bike routes, and a potential future ferry landing at the terminus of 16th Street.

Bay Transportation Management Association (TMA) Shuttles also run daily service for employees and residents of Mission Bay. Together, these resources constitute a transit-rich and highly-accessible urban location that will cater to both local and regional employees and patrons.

Site-specific transportation considerations are addressed in a project-specific Transportation Management Plan (TMP) prepared by Fehr & Peers on behalf of the Golden State Warriors. The Plan outlines plans for traffic control before and after event center events, introduces streetscape design features to reduce congestion for daily office and retail users, and proposes travel demand strategies to lower auto mode share of all site visitors.

SUSTAINABILITY AND WASTE MANAGEMENT


The project at Blocks 29-32 will be designed to a LEED Gold campus certification standard for sustainable design. Sustainable design measures include the installation of low-flow plumbing fixtures to reduce total water use, use of high-recycled content and locally-sourced building materials and products, and specifications for sustainable forested (FSC-certified) wood products or low-emitting materials. A combination of green roofs and light-colored, highly reflective roofing material will also lower the amount of heat absorbed, reducing the heat island effect, and buildings will be designed for thermal comfort. All building systems will be metered separately and monitored and recorded through a Building Automation System.

The South Street Office/Retail building has also been designed in accordance with San Francisco Planning Code Section 139, Standards for Bird-Safe Buildings, in order to eliminate "feature-related hazards" (e.g., large free-standing glass walls, wind barriers, and skywalks). Accordingly, for the glass railings on the office podium roofs, all uninterrupted glazed segments will not exceed 24 square feet.

Finally, robust low waste goals will be supported by separate trash, organic waste, and recycling compactors located in the project's shared loading dock area below grade. All waste will be collected in the below-grade area, and trucks will use the 16th Street driveway to access the loading dock for regular collection of waste. This process will occur out of sight of project neighbors, employees, and visitors.

ART AND SIGNAGE

The Golden State Warriors intend to incorporate a robust public arts program at Blocks 29-32, complemented by tasteful lighting design. Signage, wayfinding, and building identification will also be introduced as both design features and functional elements. However, public art and signage have been deferred to the project's Design Development (DD) phase, and are therefore not outlined further in this Basic Concept/ Schematic Design package. Signage depicted in the following pages is included for illustrative purposes only and does not represent the forthcoming DD signage proposal.



DOCUMENTS, REGULATORY PROCESSES, AND APPROVALS

This package presupposes a forthcoming amendment to the Mission Bay South Design for Development (DforD), which will modify standards and guidelines regarding office tower details and streetwall character, based on the unique nature of the development. No amendment to the Mission Bay South Redevelopment Plan is required for the Project's approval, and office and retail are principal uses under the Plan.

Blocks 29-32 will be privately owned, and construction of the full development, including the event center, will be 100% privately financed.

TEAM

Our team has a commitment to high-quality design and engineering, with strong representation from diverse local designers and small business partners. The project is on track to meet its goal of 50% participation by Small Business Enterprises (SBEs) in architecture and engineering professional services.

DEVELOPMENT TIMELINE

The proposed development for Blocks 29-32 is planned for construction in one total phase. All structures outlined in these Basic Concept/Schematic Design packages will be constructed simultaneously. Estimated construction duration for the full Blocks 29-32 project is approximately 24 to 27 months.



CLIENT

Golden State Warriors

PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates - Architect of Record

ISSUE DATE

November 3, 2015

POJECT NTRODI ICTION

BLOCKS 29-32

MISSION BAY


01.1

DESIGN NARRATIVE

The South Street Office & Retail building's two part massing combines a 6-story (90 foot) mixed-use podium and a 11-story (160 foot) office tower, anchoring the corner of Southth and 3rd Streets. The design for the tower, tear-dropped in plan, will complement the event center's curvilinear aesthetic and that of the other structures on-site without mimicking it. Projected and shaped aluminum sunshade blades add texture to the sleek, curved glass form. The tower will be differentiated from its context in Mission Bay by its warmth, color, irregularity, and curves.

Building setbacks at the corner of South and 3rd streets are designed to accommodate pedestrian volume when there is an event. The building's podium wraps into the pedestrian plaza with a welcoming curved gestural form, drawing pedestrians and event patrons into the plaza along subtle sloped walkways below, along an active retail use. The primary office lobby entrance will be located on the corner of South Street and 3rd Streets, with an additional entrance off of the main plaza.

The building form is intended to be highly functional and flexible with respect to tenant layouts. The tower is shifted to the east side of the building, allowing for uninterrupted floor plates, and sweeping city and Bay views. Together with the other tower on-site, the South Street Office & Retail building will have a distinctive presence on the San Francisco skyline, and create a strong sense of place surrounding the event center. The variation in height between the podium, tower, and expression of the retail use below will express an appropriate transition in scale from 3rd Street, while creating a strong sense of verticality between the tower and the street at grade along South Street





CLIENT

Golden State Warriors

PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE

November 3, 2015

SOUTH STREET OFFICE / RETAIL DESIGN NARRATIVE

MISSION BAY BLOCKS 29-32

01.2

DESIGN FEATURES

The skin of the South Street Office/Retail Building will be similar to that of the tower along 16th Street, and will include a variety of cladding types. The curtain wall system will be outside glazed, with painted aluminum mullions at the building interior, and black sealant at the exterior. Glazing will be energy effecient, with a low-E coating for the office towers and low iron for the retail spaces. Spandrel glazing will be achieved with a full ceramic frit floodcoat on the inner pane, matching the vision glazing in tone as much as possible. Resin coated wood accent panels, installed in a rainscreen fashion onto the unitized curtain wall, will clad the elevator core, and wrap under exterior soffits to add warmth to the building. Decorative horizontal "blades" at the buildings floor levels, made of painted aluminum tied into the unitized curtainwall system, will further articulate the south and west facades of the buildings. These blades will tapered in plan to meet the adjacent architecture. A serrated curtainwall system will round the corner into the main plaza, further breaking down the scale of the building at the podium and adding contrasting visual interest to the curved form of the building.

Note: Design currently contemplates a chair rail at 42" on each floor. In the event that a Research & Development tenant occupies some or all of the office space available on Blocks 29-32 and utilizes interior layouts like the one shown on sheet 01.5, the façade may be further treated with subtle bands of translucent film to minimize exterior views of furniture adjacent to the curtainwall.

RETAIL & LOBBY EXPERIENCE

On the plaza, the scale of the podium will be further broken down with restaurant and retail activity, and create a vibrant pedestrian experience, both during and between events. The retail design approach will be based on a steel beam, charcoal metal, and glass framework that will surround and define retail storefronts and align with the metallic and glass office architecture above. This system develops a special character for the retail levels reminiscent of the industrial architecture in the surrounding area. To create an organic urban quality, retail frontages will be further differentiated from one another utilizing a palette of "infill" materials, which may be inlaid in steel beams for additional color and texture.

The main entry to the office at South and 3rd Street will be visually distinct and physically separated from the ground-level retail at the same corner: the two entries and uses will lie on the opposite side of the structural columns where they meet grade. The office lobby entry will also feature an overhang that brings the downward thrust of the tower to pedestrian scale.

GREEN ROOF & ROOFTOP

The roof of the podium will include an occupiable green roof with integrated stormwater treatment. This will be both an amenity for tower tenants, and a highly visible feature of the development from neighboring

Mechanical systems on the tower roof will be fully screened by painted metal screenwall and laid out with visibility from nearby neighborhoods in mind. Podium rooftop equipment will be incorporated into landscape elements wherever possible. More information about the roof plantings and landscape design can be found in the Open Space BC/SD package.

The east side of the building will match the curve of the new event center, creating a channel between the two buildings to guide pedestrian traffic from the main plaza to the food hall and retail options along Terry François Boulevard.

The Open Space BC/SD package will address the design of both the path and the terrace at this location in more depth.



CLIENT

Golden State Warriors

PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE

November 3, 2015









JESIGN FEATURE OUTH STREET OFFICE / RETAII

BUILDING SYSTEMS NARRATIVE



STRUCTURAL SYSTEMS MEP SYSTEMS

The office tower foundation system will consist of augercast concrete piles, pile caps, and a concrete structural slab-on-grade spanning between pile caps. The site perimeter will be supported by concrete basement walls.

Construction up to the plaza level will consist of reinforced concrete columns supporting a concrete beam and slab floor system. Above the plaza level, the office floor framing will consist of concrete slab on metal deck supported by composite wide flange beams, girders, and columns.

The office tower steel frame above the plaza level will utilize a buckling restrained braced frame lateral system to resist earthquake and wind forces. At the plaza level, the braced frames will transfer to special reinforced concrete shear walls which will carry down to the foundations.

Air handling units serving all occupied levels of the building, including the tenant office space and the retail floors, will be rooftop mounted, custom penthouse air handling units (AHUs) with indirect/direct evaporative cooling (IDEC). Additional features for cooling and heating will include underfloor cooling (Floors 3 through 11), air column fans (building cores), overhead ductwork, series fan-powered boxes, and electric heaters. Systems will also be designed with an airside economizer for free cooling. including return/relief air fans (RAFs) for all systems.

Units will be provided with air flow measuring stations that will monitor conditions, maintain required outside air for ventilation and proper IAQ, and to maintain positive building pressure. Ventilation controls, including automatic dampers and return air ductwork, will also be used to modulate and maintain CO2 levels.

All cooling and ventilation air will also be provided to the retail floors and lobby areas from the rooftop AHUs mentioned above. This air will be ducted overhead to serve terminal devices to heat, cool, and ventilate each space and zone accordingly.

All tenant office space will utilize an underfloor air distribution (UFAD) system. For floors with no ceilings and exposed structure, low pressure ductwork will be provided from the main supply air shaft and routed along the perimeter of the exterior walls. Linear supply air diffusers will also be provided along all glazing areas. The linear diffusers and supply air ductwork will be sized to offset the building exterior skin heat gain in the cooling season.

TENANT BUILD-OUT ASSUMPTIONS

Each typical cubicle, manager cubicle, business support, and break area will be provided with CV floor "swirl" diffuser such that the occupant can control the local space environment. The occupant shall have the ability to open/close and adjust the throw direction of the diffuser. Interior private offices, interior conference rooms, and interior work room areas will be provided with VAV floor terminals to modulate room supply air based on space temperature. All exterior areas including perimeter offices, conference rooms, and breakout areas will be served by modular fan terminal units with electric heating. The fan speed shall be controlled and heating shall be cycled to maintain space temperature. A thermostat will be located in each zone to provide a control point for space temperature.

Tower loads will be served from two single ended dedicated unit substations for the tower, one of which will serve lighting and large HVAC loads through the building. The two substations will serve vertically through the building. Provisions for tenant metering will be

Lighting fixtures will use predominately fluorescent lamp sources for the shell build out. LED and fluorescent light sources will likely be selected for the fit out portion of the project. Exit signage will be LED type.

Cabling will be provided via under floor system to conceal raceways and cabling paths through raised floor. Cabling in public areas will be concealed in raceways or above ceilings.

CLIENT Golden State Warriors

PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -

Architect of Record ISSUE DATE November 3, 2015

SOUTH STREET OFFICE / RETAIL

MISSION BAY BLOCKS 29-32


DESIGN FLEXIBILITY FOR LAB / R&D USES

The towers have been designed with flexibility in mind for a potential lab, research, or biotech tenant.

DEN STATE

FLOOR TO FLOOR HEIGHT

The minimum recommended floor-to-floor height for a concrete flat slab construction (post tensioned or mild steel) is 14'-0", assuming a 10"-12" maximum thickness concrete flat slab. This allows roughly 1'-0" for structure, 3'-0" for ductwork, lighting, and sprinklers, and 10'-0" ceiling heights in larger open lab areas. This assumes some lower ceiling areas near the shafts and core areas where ducts are the largest. As currently designed, the tower buildings have a minimum of 14'-7" floor-to-floor, which will accomodate lab use on all floors above the plaza level.



ENLARGED SECTION WITH FLOOR-TO-FLOOR HEIGHT - N.T.S.

PLAN CONFIGURATION


The overall configuration of the floor plate is critical to achieving a functional, flexible and efficient laboratory floor plate layout. Key issues to achieving that functionality and efficiency are described as follows:

STRUCTURAL GRID CONFIGURATION

Alignment of the grid with the laboratory planning module is critical; also critical is how the structural grid influences the size and locations of the laboratory components.

CORE LOCATION

Ideally the location of the core elements (elevators, toilets, shafts, stairs) within the floor plate will provide large, contiguous areas of relatively uniform laboratory and lab support modules.



SOUTH STREET PODIUM & TOWER CORE LOCATION - N.T.S.

CIRCULATION PATHS/CORRIDORS

The core locations should provide easy and logical access to and between the laboratory blocks on the floor plate. They should also provide clear and direct pathways from any point within the laboratory areas to the exit stairs. Two means of egress from any area of the floor plate is essential to maintain options with respect to the laboratory sizes and functions.

DAYLIGHT AND VIEWS

The overall configuration of the floor plate and the relationship of the column grid and core locations will begin to dictate a logical configuration for the floor plate, which may or may not facilitate laboratory locations along the exterior walls. In a typical laboratory environment, daylight and views are highly desirable for laboratory areas, as the occupants tend to spend a large portion of their time in the labs, especially in academic labs where technician work stations are often located within the labs. In the commercial sector, health and safety concerns generally lead to workstations located outside but adjacent to the labs, but daylight access and views from the labs and workstation areas remains very important. Lab equipment will be located with careful consideration to avoid blocking light and views from individual workstations.

MECHANICAL EQUIPMENT AT PODIUM

Mechanical equipment for a potential lab tenant at the podium levels can be located on the occupiable roof deck, and screened with landscaping elements integrated with the overall design.



24' LAB PLANNING MODULE - N.T.S.

CLIENT Golden State Warriors

PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE

November 3, 2015

UTH STREET OFFICE / RETAIL ESIGN FLEXIBILITY OR LAB / R&D USES

01.5

©2015 by Pfau Long Architecture & AE3

PROJECT DATA SUMMARY



Project Data Summary - South Street Office/Retail Tower

Height Zone Height Zone Height (MZ-5) Area to Land Area (2) 47-5, Area to Leasable Square Feet Comment Retail Building Height Total Building Height Podul Town Rooftop Mechanical 16' Penthouse Height Number of Towers Block Building Height (MZ-5) 16' Building Height (MZ-5) 16	5.688 SF (10.92 acres) mmercial Industrial: 293,282 GSF tail/Restaurant: 19,716 GSF tail/Restaurant: 19,716 GSF tail/Restaurant: 19,716 LSF tail/Restaurant: 19,716 LSF dail/Restaurant: 19,716 LSF dium: 90' wer: 160' wer: 160' ck 29: 1 tower - 5 total: 4 towers, 2 of which are on Blocks 29 and 31.	Mission Bay South Redevelopment Plan V V V V V V V	Design for Development (2004)	Design for Development to be Amended (2015) (1)	GSW Major Phase Application for Blocks 29-32	Major Phase Submittal for Blocks 29-32, pages 6-7, 16-17. See map in Design for Development, page 22. Major Phase Submittal, pages 6-3.3. As part of aggregate FAR of Zone A, Mission Bay South Redevelopment Plan, Section 304.5.
Height Zone H25.5 Gross Square Feet Commetate Retail Reta	.5 .56.88 Sf (10.92 acres) mmercial Industrial: 293,282 GSF talk (Restument: 19,716 GSF tal: 312,998 GSF mmercial Industrial: 276,730 LSF tall/Restument: 19,716 LSF dall/Restument: 19,716 LSF dall/Restument: 19,716 LSF diulin: 90 wer: 160' wer: 150' ck 29: 1 tower - 5 total: 4 towers, 2 of which are on Blocks 29 and 31.	V V	V V		V V	See map in Design for Development, page 22. Major Phase Submittal, pages 6, 33.
Parcel Land Area (2) 475,6 Gross Square Feet Comm Retail Total Leasable Square Feet Comm Retail Total Building Height Total Rooftop Mechanical 16° Penthouse Height Block Number of Towers Block Developable Area at Base South Height (1/E.5) [3) Huz-5 Developable Area at Tower Huz-5 Height (1/E.5) [3] Huz-5 Height (1/E.5) [4] Huz-5	5.688 SF (10.92 acres) mmercial Industrial: 293,282 GSF tail/Restaurant: 19,716 GSF tail/Restaurant: 19,716 GSF tail/Restaurant: 19,716 LSF tail/Restaurant: 19,716 LSF dail/Restaurant: 19,716 LSF dium: 90' wer: 160' wer: 160' ck 29: 1 tower - 5 total: 4 towers, 2 of which are on Blocks 29 and 31.	V V	√ √ √		٧	Major Phase Submittal, pages 6, 33.
Gross Square Feet Commetal Retail Ret	mmercial Industrial: 293.282 GSF tala: 312.998 GSF mmercial Industrial: 79.76 GSF tala: 312.998 GSF mmercial Industrial: 726.730 LSF tall/Restaurant: 19.716 LSF dalum: 90 wer: 160' wer: 150' wer: 150' tale: 1 tower - 5 total: 4 towers, 2 of which are on Blocks 29 and 31.	v v	٧			
Retail Leasable Square Feet Roam Retail Building Height Fodul Rooftop Mechanical Fenthouse Height Number of Towers Developable Area at Base Height (H2:5) (3) Developable Area at Tower Height (H2:5) (3) Leasable Height (H2:5) (4) Leasable Square L	Ital/Restpurant: 19,716 GSF tal: 312,998 GSF mmercial Industrial: 276,730 LSF ala/Restpurant: 19,716 LSF diulm: 90' wer: 160' wer: 160' ck 29: 1 tower 5- total: 4 towers, 2 of which are on Blocks 29 and 31.	٧	٧		٧	As part of aggregate FAR of Zone A, Mission Bay South Redevelopment Plan, Section 304.5.
Retail Building Height Total T	tall/Restaurant: 19,716 LSF dilum: 90 wer: 160' wer: 150' total: 4 tower 5 total: 4 tower, 2 of which are on Blocks 29 and 31.	٧	-			
Towe Rooftop Mechanical 16' Penthouse Height Number of Towers Block H2-5 Developable Area at Base Height (H2-5) (3) H2-5 South Height (H2-5) (3) H2-5 South Height (H2-5) (3) H2-5 H2-	wer: 160' sck 29: 1 tower -5 total: 4 towers, 2 of which are on Blocks 29 and 31.		∨		٧	As part of aggregate leasable area of Zone A, Mission Bay South Redevelopment Plan, Section 304.5.
Penthouse Height Block Number of Towers Block HZ-5- Developable Area at Base South Height (HZ-5) (3) HZ-5- Developable Area at Tower South Height (HZ-5) (3) HZ-5-	-5 total: 4 towers, 2 of which are on Blocks 29 and 31.	٧			٧	Maximum base height of 90'-0" and maximum tower height of 160'-00", per Design for Development, pages 22-23. 160'-0" height limit per Mission Bay South Redevelopment Plan, Section 304.5.
HZ-5 Developable Area at Base South Height (HZ-5) (3) Developable Area at Tower South Height (HZ-5) (3) HZ-5 Developable Area at Tower Height (HZ-5) (3)	-5 total: 4 towers, 2 of which are on Blocks 29 and 31.		٧	-	٧	20' limit for structures where the height limit is greater than 65', per Design for Development, page 23.
Height (HZ-5) (3) HZ-5 Developable Area at Tower South Height (HZ-5) (3) HZ-5	1. 6	٧	×	٧	٧	Maximum number of towers at maximum bulk and height within HZ-5 is four, 2 of which must be on Blocks 29 or 31, per Amended Design for Development, page 23.
Height (HZ-5) (3) HZ-5	uth Street Tower: 3% (25,911 GSF) -5 with Blocks 29-32 Project: 57% (532,660 GSF)	٧	х	٧	٧	90% maximum percentage of developable area at base height and 10% maximum percentage of developable area with tower height, per Amended Design for Development, page 23. Developable area is defined in the Design for Development, page 10.
Tower Location Block	uth Street Tower: 2% (19,868 GSF) -5 with Blocks 29-32 Project: 8% (79,736 GSF)	٧	×	٧	٧	
	ock 29	٧	٧		٧	No applicable limitation for Block 29, per Design for Development, page 22-23.
	wer at Block 29 is one of two planned at the intersection of South Street and d Street.	٧	٧	-	٧	Except for 16th Street and Third Street, no intersection to allow more than 2 towers within 50' of corner, per Amended Design for Development, page 23.
Tower-Tower Separation 364'-	4'-10"	٧	٧		٧	Minimum 100' when located on the same block, per Design for Development, page 23.
Tower-Event Center 53'-6' Separation	-6"	٧	х	٧	٧	Minimum 40' separation permitted between a tower and an Event Center, per Amended Design for Development, page 23.
	wer width along 3rd Street: N/A ower is on South Street)	٧	٧	-	٧	Tower width along 3rd Street not to exceed 160', as per Design for Development, page 23.
	aximum tower plan length: 199' aximum tower floor plate: 19,868 Gross SF	٧	٧		٧	Commercial buildings shall have a maximum tower plan length of 200', and maximum tower floor plate of 20,000 square feet, per Design for Development, page 26.
Setbacks 3rd St	1 Street: 27'-9"	٧	٧		٧	5' minimum setback along 3rd Street, per Design for Development, page 27.
Coverage (4) 188' = 496' =	1 Street: 8" = 30% (South Street Office/Retail Tower only) 6" = 80% I planned development on 3rd Street for Blocks 29-32 site)	٧	x	٧	٧	The Third Street and 16th Street frontages surrounding an Event Center are exempted from minimum streetwall length requirements, per Amended Design for Development, page 28.
	d Street: 90' outh Street Office/Retail Tower only)	٧	٧	-	٧	Minimum streetwall height of 15'. Maximum streetwall height not to exceed 90' (except for mid-rise, Event Center, and towers). Per Design for Development, page 28.
	d Street: None proposed uth Street: 2'-4" awning	٧	٧	-	٧	Maximum vertical dimension of 2'-6". Minimum 8' vertical clearance from public right of way to architectural projection. Maximum projection of 3' over public right of way. Per Design for Development, page 28.
Sunlight Access / Shadow Providence Providen	ovided (see Background Appendices)	٧	٧		٧	No variance requested. Design is compliant with the Design for Development, page 36-37. Provided for informational purposes only.
	ovided (see Background Appendices)	٧	٧	-	٧	Wind tunnel testing provided. Design is compliant with Design for Development, page 38.
	ovided (see Background Appendices) wer on Block 29 is not located within a view corridor.	٧	٧	-	٧	No building or portion thereof shall block a view corridor, provided, however, that a view corridor on Blocks 29-32 may terminate in an Event Center that provides an important architectural statement as recommended in the Commercial Industrial Guidelines. Per Amended Design for Development, page 39. 1
Retail	mmercial Industrial: 293 tall/Restaurant: 68 tal: 361	٧	٧		٧	Calculated at 1 per 1,000 sf of gross area for commercial/industrial development, 1 per 500 sf of gross area for retail development, and 1 per 200 sf of gross area for retail development, with a 50% ratio of compact to standard spaces, per Design for Development, pages 42-43. Calculated with a 50% ratio of compact to standard spaces, per Design for Development, page 42.
Bicycle Parking (6) 60 int	interior Class 1 spaces	٧	٧		٧	Minimum of 1 secure bicyle parking space must be provided for every 20 vehicular parking spaces or fraction thereof, per Design for Development, page 42.
	mmercial Loading: 3 tail Loading: 3	٧	٧		٧	Calculated at a minimum of 3 for commercial industrial developments over 500,000 GSF plus 1 for each additional 400,000 GSF. Calculated at a minimum of 3 for retail developments over 100,000 GSF plus 1 for each additional 80,000 GSF. For multi-parcel developments, loading spaces can be aggregated. All

- (1) This column applies only to those provisions of the Design for Development that require amendment; project features are otherwise consistent with the Design for Development 2004. (2) Measured for full project at Blocks 29-32.

- (2) Measured for full project at Blocks 29-32.
 (3) See Background Appendices BC/SD book for further detail.
 (4) Total block length measured for Blocks 29-32 site, not Block 29 alone. See Background Appendices BC/SD book for further detail.
 (5) Assumes 50/50 Retail/Restaurant split (to be verified once building tenants are confirmed).
 (6) Additional outdoor Class 2 blike parking spaces are also available for use by office/retail/event center employees and visitors. See Open Space, Gatehouse, Parking and Loading BC/SD book for further detail. [7] Commercial Loading spaces shown are shared between the South Street Office/Retail Tower, the 16th Street Office/Retail Tower, and all other retail on-site. See 16th Street Office/Retail Tower BC/SD book, and Northeast Retail BC/SD book for further detail Applicable Codes and Documents

Redevelopment Plan for the Mission Bay South Redevelopment Project, dated November 2, 1998. Amended Design for Development, dated March 16, 2004.

Amended Design for Development, per GSW submittal dated November 3, 2015.
Major Phase Application for Blocks 29-32, to be appproved prior to this submittal.

MISSION BAY BLOCKS 29-32

CLIENT Golden State Warriors

PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE November 3, 2015

GROSS FLOOR AREA SUMMARY - SOUTH STREET OFFICE / RETAIL (DESIGN FOR DEVELOPMENT)

		OCII Area Exem	ptions from "True Gr	oss" Floor Area Calc	BOMA Area Exemptions (Sq. Ft.)			
Level	"True Gross" Floor Area (Sq. Ft.)	#1: Basement/ Cellar Space (1)	#4: Intermediate Floor Mechanical / Ops	#11: Ground Floor Circulation & Service (2)	#12: Restaurants and Retail under 5,000 Sq. Ft.	OCII Adjusted Gross Floor Area (Sq. Ft.)	Leasable Deductions	BOMA Leasable Floor Area (Sq. Ft.)
LOWER LEVEL 2 (SUBGRADE PARKING) (A)	5,138	5,138	0	0	0	0	0	0
LOWER LEVEL 1 (EVENT LEVEL) (B)	4,953	4,953	0	0	0	0	0	0
LEVEL 1 (GRADE)	19,289	0	132	7,773	3,439	7,945	1,795	6,150
LEVEL 2 (PLAZA)	33,812	0	132	1,520	3,032 (4)	29,128	1,545	27,583
LEVEL 3	42,867	0	132	0	1,967 (4)	40,768	1,514	39,254
LEVEL 4	45,401	0	132	0	0	45,269	1,514	43,755
LEVEL 5	45,401	0	132	0	0	45,269	1,514	43,755
LEVEL 6	45,911	0	132	0	0	45,779	1,514	44,265
LEVEL 7	20,000	0	132	0	0	19,868	1,482	18,386
LEVEL 8	20,000	0	132	0	0	19,868	1,282	18,586
LEVEL 9	20,000	0	132	0	0	19,868	1,828	18,040
LEVEL 10	20,000	0	132	0	0	19,868	1,282	18,586
LEVEL 11	19,500	0	132	0	0	19,368	1,282	18,086
SUBTOTAL COMMERCIAL/INDUSTRIAL	314,118	10,091	1,452	9,293	0	293,282	16,552	276,730
SUBTOTAL RETAIL	28,154	0	0	0	8,438	19,716	0	19,716
TOTAL (3)	342,272	10,091	1,452	9,293	8,438	312,998	16,552	296,446

⁽¹⁾ Includes all below-grade levels, where applicable.



CLIENT

Golden State Warriors

PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE

November 3, 2015

GROSS FLOOR AREA SUMMARY (DESIGN FOR DEVELOPMENT)

©2015 by Pfau Long Architecture & AE3

⁽²⁾ Due to the sloping nature of the site and the buildings' multiple access points for entry and primary circulation, "Ground Floor" is interpreted as both Grade (Level 1) and Plaza (Level 2) levels.

⁽³⁾ Includes both Commercial Industrial and Retail.

⁽⁴⁾ Levels 2 and 3 represent a double-height restaurant that totals 4,999 SF in area. The Level 1 exclusion is a retail pad, so the building includes one retail and one restaurant use of less than 5,000 SF each. Assumes these excluded areas will have deed restrictions requiring tenanting consistent with the proposed exclusion (i.e., personal services, restaurants, retail).

GROSS FLOOR AREA SUMMARY - SOUTH STREET OFFICE / RETAIL (SF PLANNING SECTION 321)

		AREAS EXCLUDED FROM TH REQUEST PER THE SF P			
LEVEL	GROSS AREA PER SFPC 102.9(A) (Sq. Ft.)	BASEMENT, MAINTENANCE, AND ELEVATOR/STAIR PENTHOUSE EXCLUSIONS PER SFPC 102.9(B.1,3)	RETAIL & RESTAURANT EXCLUSIONS PER SFPC 320 (F)	PROJECT AUTHORIZATION REQUEST PER SFPC 321 (Sq. Ft.)	
LOWER LEVEL 2 (SUBGRADE PARKING) (A)	5,138	2,363	0	2,775	
LOWER LEVEL 1 (EVENT LEVEL) (B)	4,953	2,319	0	2,634	
LEVEL 1 (GRADE)	19,289	0	4,132	15,157	
LEVEL 2 (PLAZA)	33,812	0	13,359	20,453	
LEVEL 3	42,867	0	10,663	32,204	
LEVEL 4	45,401	0	0	45,401	
LEVEL 5	45,401	0	0	45,401	
LEVEL 6	45,911	0	0	45,911	
LEVEL 7	20,000	0	0	20,000	
LEVEL 8	20,000	0	0	20,000	
LEVEL 9	20,000	0	0	20,000	
LEVEL 10	20,000	0	0	20,000	
LEVEL 11	19,500	0	0	19,500	
TOTAL	342,272	4,682	28,154	309,436	



CLIENT

Golden State Warriors

PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE

November 3, 2015


SROSS FLOOR AREA UMMARY (SFPLANNING SECTION 321)

02.3


©2015 by Pfau Long Architecture & AE3

GROSS FLOOR AREA EXCLUSION DIAGRAMS - SOUTH STREET OFFICE/RETAIL (DESIGN FOR DEVELOPMENT)





GRADE LEVEL PLAN - N.T.S.



PLAZA LEVEL PLAN - N.T.S.

DESIGN FOR DEVELOPMENT **EXCLUSION KEY**

#4: INTERMEDIATE FLOOR MECHANICAL / OPS


#11: GROUND FLOOR CIRCULATION & SERVICE

#12: RESTAURANTS AND RETAIL UNDER 5,000 SQ. FT.


**NOTE: ALL BELOW GRADE AREAS ARE EXCLUDED PER #1: BASEMENT/ CELLAR

B.O.M.A. EXCLUSION KEY


ADDITIONAL AREA EXCLUDABLE PER BOMA



LEVEL 3 PLAN - N.T.S.



PODIUM PLAN (LEVELS 4,5,6) - N.T.S.



TOWER PLAN (LEVELS 7,8,9,10,11) - N.T.S.

CLIENT Golden State Warriors

PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record


ISSUE DATE November 3, 2015

©2015 by Pfau Long Architecture & AE3


GROSS FLOOR AREA EXCLUSION DIAGRAMS - SOUTH STREET OFFICE/RETAIL (SF PLANNING CODE SECTION 321)*




Basement-level exclusions (Lower Level 2, Lower Level 1) not shown.




GRADE LEVEL PLAN - N.T.S.






LEVEL 3 PLAN - N.T.S.



PODIUM PLAN (LEVELS 4,5,6) - N.T.S.



TOWER PLAN (LEVELS 7,8,9,10,11) - N.T.S.

CLIENT Golden State Warriors

PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE November 3, 2015


OSS FLOOR AREA CLUSION DIAGRAMS

02.5

©2015 by Pfau Long Architecture & AE3

HEIGHT, BULK, AND SETBACK DIAGRAM (HZ5)





CLIENT

Golden State Warriors

PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE


November 3, 2015

T, BULK AND
CK DIAGRAM (HZS)

MISSION BAY BLOCKS 29-32 SOUTH STREET OFFICE / RETA HEIGHT, BULK A

02.6

SETB,





Golden State Warriors

PROJECT TEAM


Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE

November 3, 2015

STREET OFFICE / RETAIL SOUTH !

03.1





Golden State Warriors

PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE

November 3, 2015

LAN -JING ENTRY POINTS


SITE PLAN BUILDING ENTRY

MISSION BAY BLOCKS 29-32

03.2

SITE PLAN - BUILDING ENTRY POINTS





SITE SECTION

1/64"= 1'-0"

0 4 8 16 32



CLIENT

Golden State Warriors


PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record


ISSUE DATE November 3, 2015

MISSION BAY BLOCKS 29-32 SOUTH STREET OFFICE / RETAIL

03.3



EAST - WEST SECTION
1/32" = 1'-0"



0 2 4 8 16 32



CLIENT Golden State Warriors

olden state warnor

PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE

November 3, 2015

MISSION BAY BLOCKS 29-32 SOUTH STREET OFFICE / RETAIL EAST-WEST SECTION

03.4





Golden State Warriors


PROJECT TEAM


Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE

November 3, 2015

SOUTH STREET OFFICE / RETAIL MISSION BAY BLOCKS 29-32







Golden State Warriors

PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE November 3, 2015

MISSION BAY


©2015 by Pfau Long Architecture & AE3

SOUTH ELEVATION

1/32"=1'-0"

- CW1 STRUCTURAL GLAZED CURTAINWALL LOW E GLAZING
- CW2 STRUCTURAL GLAZED CURTAINWALL FRITTED SPANDREL GLASS
- CW3 STRUCTURAL GLAZED CURTAINWALL LOW IRON GLAZING
- CW4 STRUCTURAL GLAZED CURTAINWALL SERRATED CURTAINWALL
- F1 RESIN-COATED WOOD PANEL
- F2 GLASS FIBER REINFORCED CONCRETE
- F3 GLASS GUARDRAIL
- F4 RETAIL LIGHT BOX
- F5 RETAIL AWNINGS (SHOWN TRANSLUCENT)
- F6 ARTICULATED METAL AND GLASS STOREFONT
- F7 STONE (LIGHT COLOR)

- M2 PAINTED METAL CANOPY (M1 NOT USED)
- M3 PROJECTING METAL FRAME RETAIL ENTRY PORTAL
- M4 PAINTED ALUMINUM FINS
- M5 METAL COLUMN COVERS MATTE CHARCOAL FINISH
- M6 CORRUGATED/PERFORATED METAL MECHANICAL SCREEN
- M7 DECORATIVE METAL LOUVERS
- M8 BUTT-GLAZED ALUMINUM MULLIONS
- M9 ALUMINUM CHAIR RAIL BEYOND GLASS



NORTH ELEVATION 1/32" = 1' - 0"

- CW1 STRUCTURAL GLAZED CURTAINWALL LOW E GLAZING
- ${\sf CW2-STRUCTURAL\,GLAZED\,CURTAINWALL-FRITTED\,SPANDREL\,GLASS}$
- ${\sf CW3-STRUCTURAL\,GLAZED\,CURTAINWALL-LOW\,IRON\,GLAZING}$
- CW4 STRUCTURAL GLAZED CURTAINWALL SERRATED CURTAINWALL
- F1 RESIN-COATED WOOD PANEL
- F2 GLASS FIBER REINFORCED CONCRETE
- F3 GLASS GUARDRAIL
- F4 RETAIL LIGHT BOX
- F5 RETAIL AWNINGS (SHOWN TRANSLUCENT)
- F6 ARTICULATED METAL AND GLASS STOREFONT
- F7 STONE (LIGHT COLOR)

- M2 PAINTED METAL CANOPY (M1 NOT USED)
- M3 PROJECTING METAL FRAME RETAIL ENTRY PORTAL
- M4 PAINTED ALUMINUM FINS
- M5 METAL COLUMN COVERS MATTE CHARCOAL FINISH
- M6 CORRUGATED/PERFORATED METAL MECHANICAL SCREEN

02 4 8 16

- M7 DECORATIVE METAL LOUVERS
- M8 BUTT-GLAZED ALUMINUM MULLIONS
- M9 ALUMINUM CHAIR RAIL BEYOND GLASS



CLIENT

Golden State Warriors

PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE


November 3, 2015

NORTH ELEVATION

BLOCKS 29-32


MISSION BAY

03.7



EAST ELEVATION

1/32"=1'-0"



CW2 - STRUCTURAL GLAZED CURTAINWALL - FRITTED SPANDREL GLASS

CW3 - STRUCTURAL GLAZED CURTAINWALL - LOW IRON GLAZING

CW4 - STRUCTURAL GLAZED CURTAINWALL - SERRATED CURTAINWALL

F1 - RESIN-COATED WOOD PANEL

F2 - GLASS FIBER REINFORCED CONCRETE

F3 - GLASS GUARDRAIL

F4 - RETAIL LIGHT BOX

F5 - RETAIL AWNINGS (SHOWN TRANSLUCENT)

F6 - ARTICULATED METAL AND GLASS STOREFONT

F7 - STONE (LIGHT COLOR)

M2 - PAINTED METAL CANOPY (M1 - NOT USED)

M3 - PROJECTING METAL FRAME - RETAIL ENTRY PORTAL

M4 - PAINTED ALUMINUM FINS

M5 - METAL COLUMN COVERS - MATTE CHARCOAL FINISH

M6 - CORRUGATED/PERFORATED METAL MECHANICAL SCREEN

02 4 8 16

M7 - DECORATIVE METAL LOUVERS

M8 - BUTT-GLAZED ALUMINUM MULLIONS

M9 - ALUMINUM CHAIR RAIL BEYOND GLASS



CLIENT

Golden State Warriors

PROJECT TEAM


Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE

November 3, 2015

MISSION BAY BLOCKS 29-32 SOUTH STREET OFFICE / RETAIL EAST ELEVATION

03.8



M8 - BUTT-GLAZED ALUMINUM MULLIONS M9 - ALUMINUM CHAIR RAIL BEYOND GLASS

F7 - STONE (LIGHT COLOR)



CLIENT Golden State Warriors

PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE November 3, 2015

MISSION BAY BLOCKS 29-32 SOUTH STREET OFFICE / RETAIL WEST ELEVATION

03.9









AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -

LEVEL PLAN







CLIENT Golden State Warriors

PROJECT TEAM


Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE

November 3, 2015

MISSION BAY BLOCKS 29-32 SOUTH STREET OFFICE / RETAIL TYPICAL PODIUM PLAN

03.13






Golden State Warriors

PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record


ISSUE DATE

TOWER PLAN SOUTH STREET OFFICE / RETAIL





AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -





Golden State Warriors

PROJECT TEAM


Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record


ISSUE DATE

November 3, 2015

SOUTH STREET OFFICE / RETAIL TYPICAL ROOF PLAN


03.16





TYPICAL ROOF ARTICULATION

N.T.S



TYPICAL CURTAIN WALL ARTICULATION

N.T.S.

- CW1 STRUCTURAL GLAZED CURTAINWALL LOW E GLAZING
- CW2 STRUCTURAL GLAZED CURTAINWALL FRITTED SPANDREL GLASS
- CW3 STRUCTURAL GLAZED CURTAINWALL LOW IRON GLAZING
- CW4 STRUCTURAL GLAZED CURTAINWALL SERRATED CURTAINWALL
- F1 RESIN-COATED WOOD PANEL
- F2 GLASS FIBER REINFORCED CONCRETE
- F3 GLASS GUARDRAIL
- F4 RETAIL LIGHT BOX
- F5 RETAIL AWNINGS (SHOWN TRANSLUCENT)
- F6 ARTICULATED METAL AND GLASS STOREFONT
- F7 STONE (LIGHT COLOR)

M2 - PAINTED METAL CANOPY (M1 - NOT USED)

TYPICAL RETAIL ARTICULATION

- M3 PROJECTING METAL FRAME RETAIL ENTRY PORTAL
- M4 PAINTED ALUMINUM FINS
- M5 METAL COLUMN COVERS MATTE CHARCOAL FINISH
- M6 CORRUGATED/PERFORATED METAL MECHANICAL SCREEN
- M7 DECORATIVE METAL LOUVERS
- M8 BUTT-GLAZED ALUMINUM MULLIONS
- M9 ALUMINUM CHAIR RAIL BEYOND GLASS



CLIENT

Golden State Warriors

PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE

November 3, 2015

L -NETRIC SECTION

MATERIAL -

MISSION BAY BLOCKS 29-32

04.1









Towers will be clad with vision glazing treated to reflect solar heat gain and prevent bird strikes.







CLIENT

Golden State Warriors

PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE

November 3, 2015

SOUTH STREET OFFICE / RETAIL MISSION BAY BLOCKS 29-32 MATERIA





RESIN-COATED WOOD

Prodema, Trespa, or SwissPearl

(core and soffit cladding)







CLIENT Golden State Warriors

PROJECT TEAM
Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE November 3, 2015

MISSION BAY BLOCKS 29-32 SOUTH STREET OFFICE / RETAIL

04.3




CORRUGATED METAL MECHANICAL SCREEN

EXTERIOR BUILDING FINISHES

Accent materials highlight building design features



LOUVERED MECHANICAL SCREEN



ALUMINUM FINS



ARCHITECTURAL CONCRETE



METAL CANOPY



GLASS GUARDRAIL [PODIUM ROOF]



PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE November 3, 2015

SOUTH STREET OFFICE / RETAIL MATERIAL - APPROACH

04.4

©2015 by Pfau Long Architecture & AE3



PROJECTING METAL FRAME - RETAIL ENTRY



RETAIL / DINING CANOPIES

RETAIL MATERIAL PALATE

Retail materials include metal, wood, concrete, stone, glazing and illuminated glass. This vocabulary of materials will be consistent, however, tenants will be encouraged to used nuanced versions of these materials to create a more dynamic and variegated environment.



FRAMELESS STOREFRONT SYSTEM



METAL-FRAME STOREFRONT SYSTEM



WOOD-CLAD STOREFRONT SYSTEM



RETAIL LIGHT BOX

NOTE: FOR ADDITIONAL INFORMATION ABOUT MATERIALS, SEE RELATED SUBMITTAL FOR RETAIL

CLIENT Golden State Warriors

PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE November 3, 2015

, 2013


L - APPROACI

04.5



RETAIL FRAME INFILL MATERIAL OPTIONS

Retail materials include metal, wood, concrete, stone, glazing and illuminated glass. This vocabulary of materials will be consistent, however, tenants will be encouraged to used nuanced versions of these materials to create a more dynamic and variegated environment.





PROPOSED ELEVATION - NO INFILL



WOOD INFILL



PROPOSED ELEVATION -MASONRY INFILL



CONCRETE OR MASONRY INFILL

CLIENT

Golden State Warriors

PROJECT TEAM

Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE

November 3, 2015

ROACH

MATERIAL - APPROA

04.6





CLIENT Golden State Warriors

PROJECT TEAM
Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE

November 3, 2015

MISSION BAY BLOCKS 29-32 SOUTH STREET OFFICE / RETAIL

AERIAL VIEW





Golden State Warriors

PROJECT TEAM
Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record


ISSUE DATE

November 3, 2015

VIEW FROM SOU

MISSION BAY BLOCKS 29-32

05.2







CLIENT Golden State Warriors

PROJECT TEAM
Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE

November 3, 2015

VIEW FROM SOU

MISSION BAY BLOCKS 29-32





Golden State Warriors

PROJECT TEAM
Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE

November 3, 2015

OFFICE ENTRY FROM SOUTH STREET OFFICE / RETAIL MISSION BAY BLOCKS 29-32 STREET

05.4





Golden State Warriors

PROJECT TEAM
Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE November 3, 2015

VIEW FROM 3RD MISSION BAY BLOCKS 29-32

05.5





Golden State Warriors

PROJECT TEAM
Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE November 3, 2015

> **VIEW FROM 3RD** STREET

> > 05.6





PROJECT TEAM
Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE November 3, 2015

TOWER 3RD

SOUTH STREET OFFICE / RETAIL MISSION BAY BLOCKS 29-32

PPROACH









Golden State Warriors

PROJECT TEAM
Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE

November 3, 2015

AZA ENTRY FROM SOUTH STREET OFFICE / RETAIL TREE 3RI

05.8





CLIENT Golden State Warriors

PROJECT TEAM
Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE

November 3, 2015

SOUTH STREET OFFICE / RETAIL MISSION BAY BLOCKS 29-32

AERIAL VIEW

05.9





CLIENT Golden State Warriors

PROJECT TEAM
Pfau Long Architecture & AE3 Partners - Tower Design Richyworks - Retail Design SWA Group & Merrill Morris Partners - Landscape Design Kendall/Heaton Associates -Architect of Record

ISSUE DATE November 3, 2015

OUTH STREET OFFICE / RETAIL MISSION BAY BLOCKS 29-32 **AERIAL VIEW**



